










LEONIUM  
COMPANY



2022/2023



## ECE RR 70.01 marker board, R + red printing series



Figure	Ref. No.	Dim.(mm)	Structure	Support
 <p>Kit 4 truck panel</p>	ECE RR 70.01 truck panel, kit 4			
	501101R	282 x 132, kit 4	R + red printing	Alu. 1.0mm
	501101R-08			Alu. 0.8mm
	501101RS			Self-adhesive
 <p>Kit 2 truck panel</p>	ECE RR 70.01 truck panel, kit 2			
	501102R	565 x 132, kit 2	R + red printing	Alu. 1.0mm
	5501102R-08			Alu. 0.8mm
	501102RS			Self-adhesive
 <p>One truck panel</p>	ECE RR 70.01 truck panel			
	501103R	1130 x 132	R + red printing	Alu. 1.0mm
	501103R-08			Alu. 0.8mm
	501103RS			Self-adhesive
 <p>Kit 4 trailer panel</p>	ECE RR 70.01 trailer panel, kit 4			
	501104R	282 x 196, kit 4	R + red printing	Alu. 1.0mm
	501104R-08			Alu. 0.8mm
	501104RS			Self-adhesive
 <p>Kit 2 trailer panel</p>	ECE RR 70.01 trailer panel, kit 2			
	501105R	565 x 196, kit 2	R + red printing	Alu. 1.0mm
	501105R-08			Alu. 0.8mm
	501105RS			Self-adhesive
 <p>One trailer panel</p>	ECE RR 70.01 trailer panel			
	501106R	1130 x 196	R + red printing	Alu. 1.0mm
	501106R-08			Alu. 0.8mm
	501106RS			Self-adhesive

R + R: reflective yellow + red printing

## ECE RR 70.01 warning sign, class 5 series

Figure	Ref. No.	Description	Direction
 <p>Left = Right 90 degree rotation</p>	Warning sign according to ECE 70.01 class 5, 423mm x 423mm, flat * Rubber frame is optional, item No. with additional F		
	56121	Alu 1.0mm, 1 PCS	L = R
	56121D	Alu 1.0mm, Double side, 1 PCS	L = R
	56121S	Stiker, 1 PCS	L = R
 <p>Left Right</p>	Warning sign according to ECE 70.01 class 5, 423mm x 423mm, foldable * Rubber frame is optional, item No. with additional F		
	56121PL	Alu. 1.0mm, 1 PCS	Left
	56121DPL	Alu 1.0mm, Double side, 1 PCS	Left
	56121PR	Alu. 1.0mm, 1 PCS	Right
	56121DPR	Alu 1.0mm, Double side, 1 PCS	Right
 <p>Left = Right 90 degree rotation</p>	Warning sign according to ECE 70.01 class 5, 282mm x 282mm, flat * Rubber frame is optional, item No. with additional F		
	56123	Alu 1.0mm, 1 PCS	L = R
	56123D	Alu 1.0mm, Double side, 1 PCS	L = R
	56123S	Stiker, 1 PCS	L = R
 <p>Left Right</p>	Warning sign according to ECE 70.01 class 5, 282mm x 282mm, foldable * Rubber frame is optional, item No. with additional F		
	56123PL	Alu. 1.0mm, 1 PCS	Left
	56123DPL	Alu 1.0mm, Double side, 1 PCS	Left
	56123PR	Alu. 1.0mm, 1 PCS	Right
	56123DPR	Alu 1.0mm, Double side, 1 PCS	Right
 <p>Left Right</p>	Warning sign according to ECE 70.01 class 5, 423mm x 282mm, flat * Rubber frame is optional, item No. with additional F		
	56127L	Alu. 1.0mm, 1 PCS	Left
	56127LS	Stiker, 1 PCS	Left
	56127R	Alu. 1.0mm, 1 PCS	Right
	56127RS	Stiker, 1 PCS	Right

## ECE104 Class F warning marking

Figure	Ref. No.	Description	Direction
	ECE104 class F warning marking rolls from reflective foil RA3, C		
	5672	141mm x 9m, Set of rolls left + right	L + R
	5674	282mm x 9m, Set of rolls left + right	L + R
	5676	423mm x 9m, Set of rolls left + right	L + R
	ECE104 class F agricultural from reflective foil RA3, C		
	Any special shape is possible. Take into consideration that each shape must at least match 4 units of 141x141mm.		





## ECE104 rigid reflective tape

Ref. No.	Dim.	Color	Remark	Weight	Capacity
9610RA	50mm x 50m	White	Rigid	1.2kg	10
9620RA		Yellow			
9630RA		Red			



## ECE104 curtain side segmented reflective tape

Ref. No.	Dim.	Color	Remark	Weight	Capacity
9610SA	50mm x 50mm x 50m	White	Curtain side segmented	1.4kg	10
9620SA		Yellow			
9630SA		Red			



## ECE104 tanker reflective tape

Ref. No.	Dim.	Color	Remark	Weight	Capacity
9610TA	50mm x 160mm x 50m	White	Tanker	1.5kg	10
9620TA		Yellow			
9630TA		Red			



## ECE104 curtain side continuous reflective tape

Ref. No.	Dim.	Color	Remark	Weight	Capacity
9610CA	50mm x 50m	White	Curtain side continuous	1.2kg	10
9620CA		Yellow			
9630CA		Red			



## DOT-C2 vehicle conspicuity tape, class 2






Ref. No.	Dim.	Color	Remark	Weight	Capacity
9320H	6" x 6" x 50YD	White / Red	Rigid	1.3kg	10
9360H	6" x 11" x 50YD				




## DOT-C2 vehicle conspicuity tape, micro prismatic

Ref. No.	Dim.	Color	Remark	Weight	Capacity
9320P	6" x 6" x 50YD	White / Red	Rigid	1.3kg	10
9360P	6" x 11" x 50YD				


## DIN30710/TPESC-B oversize marker board

Figure	Ref. No.	Description	Direction
 <p>Left = Right 90 degree rotation</p>	Warningpanel according to DIN30710/ TPESC-B, 423mm x 423mm, flat * Rubber frame is optional, item No. with Additional F		
	50121T	Alu 1.0mm, 1 PCS	L = R
	50121TD	Alu 1.0mm, Double side, 1 PCS	L = R
	50121TS	Stiker, 1 PCS	L = R
 <p>Left Right</p>	Warningpanel according to DIN30710/ TPESC-B, 423mm x 423mm, foldable * Rubber frame is optional, item No. with Additional F		
	50121TPL	Alu. 1.0mm, 1 PCS	Left
	50121TDPL	Alu. 1.0mm, Double side, 1 PCS	Left
	50121TPR	Alu. 1.0mm, 1 PCS	Right
	50121TDPR	Alu. 1.0mm, Double side, 1 PCS	Right
 <p>Left = Right 90 degree rotation</p>	Warningpanel according to DIN30710/ TPESC-B, 282mm x 282mm, flat * Rubber frame is optional, item No. with Additional F		
	50133T	Alu 1.0mm, 1 PCS	L = R
	50133TD	Alu 1.0mm, Double side, 1 PCS	L = R
	50133TS	Stiker, 1 PCS	L = R
 <p>Left Right</p>	Warningpanel according to DIN30710/ TPESC-B, 282mm x 282mm, foldable * Rubber frame is optional, item No. with Additional F		
	50133TPL	Alu. 1.0mm, 1 PCS	Left
	50133TDPL	Alu 1.0mm, Double Side, 1 PCS	Left
	50133TPR	Alu. 1.0mm, 1 PCS	Right
	50133TDPR	Alu 1.0mm, Double Side, 1 PCS	Right
 <p>Left Right</p>	Warningpanel according to DIN30710/ TPESC-B, 423mm x 282mm, flat * Rubber frame is optional, item No. with Additional F		
	50127TL	Alu. 1.0mm, 1 PCS	Left
	50127TLS	Stiker, 1 PCS	Left
	50127TR	Alu. 1.0mm, 1 PCS	Right
	50127TRS	Stiker, 1 PCS	Right




## KBA Homologated parking signs, TA 18B

Figure	Ref. No.	Description	Direction
 <p>Rear Front</p>	Parking sign according to TA18B, foldable, 285mm x 285mm, with highly reflective DM type 3 foil, colored with red stripes, with edge protection		
	50133DF	Alu. 1.0mm, 1 PCS	Front side
	50133DR	Alu. 1.0mm, 1 PCS	Rear side



## KBA homologated warningflags for taillifts, TA 16A

Figure	Ref. No.	Description	Direction
 <p>Left Right</p>	Prismatic warning flag set according to TA16A, 400mm x 250mm, with aluminum bracket		
	56013	Soft Tarpaulin Support, SET 2	L + R
	56013L	Soft Tarpaulin Support, 1 PCS	Left
	56013R	Soft Tarpaulin Support, 1 PCS	Right


## DIN11030/TPESC-A oversize marker board

Figure	Ref. No.	Description	Direction
 <p>Left = Right 90 degree rotation</p>	Warning sign according to DIN11030 / TPESC-A, 423 mm x 423 mm, flat * Rubber frame is optional, item No. with Additional F		
	50121	Alu 1.0mm, 1 PCS	L = R
	50121D	Alu 1.0mm, Double side, 1 PCS	L = R
 <p>Left    Right</p>	50121S	Stiker, 1 PCS	L = R
	Warning sign according to DIN11030 / TPESC-A, 423 mm x 423 mm, fodable * Rubber frame is optional, item No. with Additional F		
	50121PL	Alu. 1.0mm, 1 PCS	Left
	50121DPL	Alu. 1.0mm, Double side, 1 PCS	Left
 <p>Left    Right</p>	50121PR	Alu. 1.0mm, 1 PCS	Right
	50121DPR	Alu. 1.0mm, Double side, 1 PCS	Right
	Warning sign according to DIN11030 / TPESC-A, 423 mm x 282 mm, flat * Rubber frame is optional, item No. with Additional F		
	50127L	Alu. 1.0mm, 1 PCS	Left
	50127LS	Stiker, 1 PCS	Left
	50127R	Alu. 1.0mm, 1 PCS	Right
	50127RS	Stiker, 1 PCS	Right








## VO(EU)2015/208 oversize marker board

Figure	Ref. No.	Description	Direction
 <p>Left = Right 90 degree rotation</p>	Warning sign according to VO(EU)2015 /208, 282 mm x 282 mm, flat * Rubber frame is optional, item No. with Additional F		
	50133	Alu 1.0mm, 1 PCS	L = R
	50133D	Alu 1.0mm, Double Side, 1 PCS	L = R
 <p>Left    Right</p>	50133S	Stiker, 1 PCS	L = R
	Warning sign according to VO(EU)2015 /208, 282 mm x 282 mm, fodable * Rubber frame is optional, item No. with Additional F		
	50133PL	Alu. 1.0mm, 1 PCS	Left
	50133DPL	Alu 1.0mm, Double side, 1 PCS	Left
	50133PR	Alu. 1.0mm, 1 PCS	Right
	50133DPR	Alu 1.0mm, Double side, 1 PCS	Right









## ECE 69.01 Triangle marker board

Figure	Ref. No.	Description	Direction
	365 mm x 365 mm flat agricultural machine reflective sign, ECE69.01, fluorescent red film + reflective red		
	501407	Alu. 1.0mm	0.52 kg
	501407S	Sticker	0.1kg
	501407ABS	Injection ABS	0.47 kg
	Triangle bracket		
	501407B	Galvanized steel	0.3kg

## Warning sign for vehicles with special right

Figure	Ref. No.	Description	Weight
	Alternated stripes right and left - class 1, DIN11030, TPESC A		
	5611	0.14m x 0.56m, kit 2	0.1kg
	5612	0.14m x 9m, kit 2	1.2kg
5613	0.14m x 45.7m, kit 2	5.5kg	
	Alternated stripes right and left - class 1, DIN11030, TPESC A		
	5614	0.28m x 9m, kit 2	2.5kg
	5615	0.28m x 45.7m, kit 2	11kg
	Alternated stripes right and left - high intensity, DIN67520, DIN30710, TPESC B		
	5621	0.14m x 0.56m, kit 2	0.15kg
	5622	0.14m x 9m, kit 2	1.80kg
5623	0.14m x 45.7m, kit 2	8.25kg	
	Alternated stripes right and left - high intensity, DIN67520, DIN30710, TPESC B		
	5624	0.28m x 9m, kit 2	3.75kg
	5625	0.28m x 45.7m, kit 2	16.5kg
	Alternated stripes right and left - micro prismatic, DIN67520, DIN30710, TPESC B		
	5631	0.14m x 0.56m, kit 2	0.15kg
	5632	0.14m x 9m, kit 2	1.80kg
5633	0.14m x 45.7m, kit 2	8.25kg	
	Alternated stripes right and left - micro prismatic, DIN67520, DIN30710, TPESC B		
	5634	0.28m x 9m, kit 2	3.75kg
	5635	0.28m x 45.7m, kit 2	16.5kg
	Container marker right and left - high intensity		
	5655	100m x 400mm, kit 2	0.1kg

## Warning sign for vehicles with special right


Figure	Ref. No.	Description	Weight
       	Alternated stripes right and left - micro prismatic yellow fluorescent		
	5641	0.14m x 0.56m, kit 2	0.15kg
	5642	0.14m x 9m, kit 2	1.80kg
	5643	0.14m x 45.7m, kit 2	8.25kg
	Alternated stripes right and left - micro prismatic yellow fluorescent		
	5644	0.28m x 9m, kit 2	3.75kg
	5645	0.28m x 45.7m, kit 2	16.5kg
	Industrial reflective tape, class 1 + red printing		
	5616	0.05m x 45.7m, kit 2	2kg
	5617	0.1m x 45.7m, kit 2	4kg
Industrial reflective tape, high intensity + red printing			
5626	0.05m x 45.7m, kit 2	3kg	
5627	0.1m x 45.7m, kit 2	6kg	
Industrial reflective tape, micro prismatic + red printing			
5636	0.05m x 45.7m, kit 2	3kg	
5637	0.1m x 45.7m, kit 2	6kg	
Industrial reflective tape, micro prismatic yellow fluorescent			
5646	0.05m x 45.7m, kit 2	3kg	
5647	0.1m x 45.7m, kit 2	6kg	
Alternated stripes right and left - high intensity, DIN67520, DIN30710, TPESC B			
5651	141mm x 705mm, kit 2	0.1kg	
5652	141mm x 705mm, kit 8	0.4kg	
Alternated stripes right and left - micro prismatic, DIN67520, DIN30710, TPESC B			
5651T	141mm x 705mm, kit 2	0.1kg	
5652T	141mm x 705mm, kit 8	0.4kg	

## Dangerous goods load transportation sign








Figure	Ref. No.	Description	Weight
	400mm x 300mm flat "A.D.R." sign		
	501601	Alu. 1.0mm	0.31kg
	501601-08	Alu. 0.8mm	0.25kg
	501601S	Sticker	0.1kg
	400mm x 300mm vertical folded "A.D.R." sign with 2 normal hinge		
	501602	Alu. 1.0mm	0.38kg
	501602F	Alu. 1.0mm with plastic frame	0.4kg
400mm x 300mm vertical folded "A.D.R." sign with piano hinge			
501602P	Alu. 1.0mm	0.38kg	
501602PF	Alu. 1.0mm with plastic frame	0.4kg	
400mm x 300mm horizontal folded "A.D.R." sign with 2 normal hinge			
501603	Alu. 1.0mm	0.38kg	
501603F	Alu. 1.0mm with plastic frame	0.4kg	
300mm x 120mm vertical folded "A.D.R." sign with 2 normal hinge			
501607	Alu. 1.0mm	0.12kg	
501607F	Alu. 1.0mm with plastic frame	0.14kg	
400mm x 300mm, A.D.R." board with letter embossed, 301202, 331202			
501702	30 1202, Alu. 1.0mm	0.34kg	
501703	33 1203, Alu. 1.0mm	0.34kg	
Filp flop dangerous goods sign book			
55309	15 signs changeable	1.49kg	













## Dangerous goods load transportation sign

Figure	Ref. No.	Description	Weight
	Interchangeable embossed flat numbers, 137mm x 91mm		
	501707-1	Alu 1.0mm, Single PCS	0.04kg
	501707-10	Alu 1.0mm, Set 10 PCS 1x 1PCS, 2x 2PCS, 3x 3PCS, 0x 2PCS, Blank x 2PCS	0.4kg
	501707-27	Alu 1.0mm, Set 27 PCS 1x 3PCS, 2x 3PCS, 3x 2PCS, 4x 3PCS, 5x 2PCS, 6x 2PCS 7x 2PCS, 8x 3PCS, 9x 2PCS, 0x 3PCS, X x1PCS, Blank x 2PCS	1.08kg
	Support for Interchangeable embossed flat numbers, 400mm x 300mm		
	501708G	Galvanized steel 1mm with powder coated 1 Halter + 2 removable frame	0.86kg
	501708S	Stainless steel 1mm 1 Halter + 2 removable frame	0.86kg
	Universal bracket, 357 mm x 75mm		
	501709G	Galvanized steel 1mm, 1 PCS	0.2kg
	501709S	Stainless steel 1mm, 1PCS	0.2kg
	Warning panel support with metal hook in middle, 400mmx 300mm		
	501716A	Alu 1.0mm, 1 PCS	0.4kg
	501716G	Galvanized steel 0.7mm, 1 PCS	0.65kg
501716S	Stainless steel 0.7mm, 1 PCS	0.65kg	
	Warning panel support with metal hook in middle, 300mmx 300mm		
	55310B1A	Alu 1.0mm, 1 PCS	0.3kg
	55310B1G	Galvanized steel 0.7mm, 1 PCS	0.5kg
55310B1S	Stainless steel 0.7mm, 1 PCS	0.5kg	
	Warning panel support with metal hook in middle, 250mmx 250mm		
	55311B1A	Alu 1.0mm, 1 PCS	0.21kg
	55311B1G	Galvanized steel 0.7mm, 1 PCS	0.34kg
55311B1S	Stainless steel 0.7mm, 1 PCS	0.34kg	
	Support for interchangeable numbers and A.D.R signs 685mm x 300mm		
	502718	Galvanized steel	1.6kg








## Waster load transportation sign

Figure	Ref. No.	Description	Weight
      	400mm x 300mm flat "A" sign		
	50161	Alu. 1.0mm	0.31kg
	50161S	Sticker	0.1kg
	50161F	Alu. 1.0mm with plastic frame	0.33kg
	400mm x 300mm vertical folded "A" sign with 2 normal hinge		
	50162	Alu. 1.0mm	0.38kg
	50162F	Alu. 1.0mm with plastic frame	0.4kg
400mm x 300mm vertical folded "A" sign with piano hinge			
50162P	Alu. 1.0mm	0.34kg	
50162PF	Alu. 1.0mm with plastic frame	0.36kg	
400mm x 300mm panel holder			
501706A	Alu. 1.0mm	0.37kg	
501706G	Galvanized steel 1.0mm	1.0kg	
250mm x 250mm panel holder			
55310B2A	Alu. 1.0mm	0.19kg	
55310B2G	Galvanized steel 1.0mm	0.53kg	
300mm x 300mm panel holder			
55311B2A	Alu. 1.0mm	0.27kg	
55311B2G	Galvanized steel 1.0mm	0.75kg	
Dangerous goods sign			
55310	250mm x 250mm, Alu. 1.0mm	0.17kg	
55310S	250mm x 250mm, Sticker	0.03kg	
55311	300mm x 300mm, Alu. 1.0mm	0.25kg	
55311S	300mm x 300mm, Sticker	0.04kg	

## Speed limit sign

Figure	Ref. No.	Dim.(mm)	Reflective	Support
Italy type speed limit sign, class 2				
	50231-150	150	Class 2	Self-adhesive
	50231-200	200	Class 2	Self-adhesive
Germany type speed limit sign,PVC				
	50232-150	150	PVC	Self-adhesive
	50232-200	200	PVC	Self-adhesive
Netherland type speed limit sign, PVC				
	50233-150	150	PVC	Self-adhesive
	50233-200	200	PVC	Self-adhesive
France type speed limit sign, PVC				
	50234-150	150	PVC	Self-adhesive
	50234-200	200	PVC	Self-adhesive
Belgium type speed limit sign, class 1				
	50235-150	150	Class 1	Self-adhesive
	50235-200	200	Class 1	Self-adhesive
Spain type speed limit sign, class 2				
	50236-150	150	Class 2	Self-adhesive
	50236-200	200	Class 2	Self-adhesive
	50236A-200	200	Class 2	Alu. 1.0mm
School Bus sign				
	50331	250 x 250	Class 1	Alu. 1.0mm
	50331S	250 x 250	Class 1	Self-adhesive
	50332	400 x 400	Class 1	Alu. 1.0mm
	50332S	400 x 400	Class 1	Self-adhesive
Folded School Bus sign				
	50341	250 x 250	Class 1	Alu. 1.0mm
	50342	400 x 400	Class 1	Alu. 1.0mm

## Over protruding sign

Figure	Ref. No.	Dim.(mm)	Description	Weight
	500mm x 500mm flat board with class 1			
	50413	500 x 500	Alu. 1.0mm	0.7kg
	50413S		Self-adhesive	0.15kg
50413F	Alu. 1.0mm with plastic frame		0.8kg	
	500mm x 500mm V20 panel with four riveted holes and rounded corner			
	50911	500 x 500	Alu. 1.0mm	0.7kg
50911ABS	1.4mm ABS board		0.95kg	
	500mm x 500mm, 4 round reflector, PP board red printed, non reflective			
	50310	500 x 500	PP board	0.3kg
	400mm x 250mm impact proof stripes for hydraulic tailgate			
	56013	400 x 250	Flexible	0.33kg
	400mm x 250mm flat "T.I.R" sign			
	501608	400 x 250	Alu. 1.0mm	0.28kg
	501608S		Self-adhesive	0.05kg
501608F	Alu. 1.0mm with plastic frame		0.29kg	
	400mm x 250mm vertical folded "T.I.R" sign with 2 normal hinge			
	501609	400 x 250	Alu. 1.0mm	0.32kg
501609F	Alu. 1.0mm with plastic frame		0.35kg	
	400mm x 250mm vertical folded "T.I.R" sign with piano hinge			
	501609P	400 x 250	Alu. 1.0mm	0.32kg
501609PF	Alu. 1.0mm with plastic frame		0.35kg	





+48 42 200 60 01



biuro@leonium.net  
[www.leonium.net](http://www.leonium.net)



Leonium Sp. z o.o.  
ul. Tylna 4 c/1  
90-348 Łódź-Poland